

# FLASHLIGHT STROBE O'TOOLS

---



A flashlight strobe for diving is a device that is emitting 5 flashes of light per second. Every seal are protect with double O-rings, which is securing casing from any leak and allows you to work at depth up to 150 meters. Lighting time is not less than 8 hours at a temperature of about 4°C

**WARRANTY 12 months with the possibility of extension to 24 months**

### **SPECIFICATION**

- Maximum depth - 150 m
- Lighting characteristics - 5 flashes / sec.
- Light color - cold
- Lighting sector - 360°
- Light power - 2500 lumens
- Housing material - Ertacetal
- Illuminator material - Polycarbonate
- Working temperature - 0 ~ + 50°C

### **DIMENSIONS AND WEIGHT**

- Length - 200 mm
- Diameter - 55 mm
- Weight - 450 g

## Flashlight strobe operator manual.

- Before using : charge stobe battery pack.
- To charge stobe battery pack, twist closure and pop charging socket cap.
- Red light means that strobe battery pack is charging, so continue it until you see green light, which means ending of charging process.
- After charging process put cap in charging socket and screw clousure, which protects cap.
- To switch on strobe turn ring to see (ON) . To switch off strobe turn ring to see (OFF).

### **1. activated ring**

### **2. charging socket cap**

### **3. protecting cap clousure**



- Flashlight strobe working time is dependent on acumulator charge level and externalcondition,
- Flashlight strobe works on full charged acumulator no fewer than 12hours in water.
- Flashlight strobes are designed to usage on the surface or under the water to 150meters.
- After every-time strobe usage rinse it with fresh water.
- Control condition of o-ring charging socket cap. You shoul grease o-rings duringeach acumulator charging.
- To grease o-rings use waterproof lubricant, that dont conduct electricity (forexample - silicone lubricant).

[www.o-tools.com](http://www.o-tools.com)



**Ocean-Tech Sp. z o.o.**  
**Kaszubska Droga 13**  
**80-209 Chwaszczyno**

[info@ocean-tech.pl](mailto:info@ocean-tech.pl)  
tel. (0048) +58 711 76 85  
fax (0048) +58 620 85 70